



LINE fullcolor


Over 16 million bright, pure colors in the familiar compact and sleek LINE body. The ability to get any color you may wish for allows to go beyond the usual in lighting design.




Application



floodlight



accent




contour

LINE fullcolor



fullcolor
(multichip RGBW65)



CRI
≥70 (for white color)

Color binning
2 MacAdam ellipses for white,
±3 nm for color LED

Power factor
>0,9

Voltage
24 V DC (for 30cm version)
230 V AC (for 60, 90, 120, 150cm version)

IP66

Lifespan
not less than 50 000 hours

- 40°C + 55°C

Controls, protocols
DMX-512, DMX-512 + RDM

Controls, pixel size
1 luminaire – 1 pixel

Materials
housing – extruded aluminum section
bracket – cast aluminum, stainless steel
protective glass – silicate tempered glass

Standard RAL colors



Standard coating type
moire

Accessories
brackets
screens

Customization
cable length up to 5m
voltage: 12, 24, 48 V DC
tunable white (TW) version
product length, wattage and luminous flux
customized for a specific project


Available custom versions




Technologies



Length, L



L, cm	weight, kg	H, mm	H1, mm	A, mm
30	1,1	115	85	60
60	1,9	140	110	85
90	2,7	200	170	145
120	3,5	280	250	225



LINE fullcolor

1. Select a model

Serial code	W, max	lm, max	Length, cm
ILF3-2	9,5	420	30
ILF6-2	22	850	60
ILF9-2	32	1250	90
ILF12-2	43	1700	120

2. Create an article number

Serial code	Color	Optics	Controls*	Supply voltage**	Length, cm
ILF3-2	FC	15 30 60 125	C	L24	30
ILF6-2			C R	H	60
ILF9-2					90
ILF12-2					120

* C – protocol DMX-512

R – protocol DMX-512 + RDM

**L24 – supply voltage 24 V DC

H – supply voltage 230 V AC

3. Select accessories

Type	Article number*	Distance from the façade to the luminaire center, mm
bracket	LINE-01-036	85
	LINE-01-060	110
	LINE-01-120	170
	LINE-01-200	250
	LINE-01-300	350
	LINE-01-400	450

Type	Article number	Height, mm	Length, mm
screen	LINE-01-050-30	50	300
	LINE-01-050-60		600
	LINE-01-050-90		900
	LINE-01-050-120		1200

* 2 brackets for LINE, length 300, 600, 900, 1200mm